



TECHNICAL DETAILS

backrest in black nylon, covered with stretch polyester mesh cover appropriately tensioned and height-adjustable lumbar support (60 mm). It allows to personalise the contact between the backrest and the back of the user, particularly in the lower back area, following the natural curves of the spine. Nylon seat/backrest connection. Available with medium backrest, with or without headrest.




seat in plastic with steel reinforcement bars, anatomically shaped polyurethane foam padding, black polypropylene under seat cover.

headrest fixed.

armrests fixed: in black nylon.


1D adjustable: (height 90 mm) in black soft touch.

2D adjustable: (height 90 mm, depth 46 mm) in black soft touch.




device

synchronised lockable in 3 positions with frontal adjustment of the backrest resistance in relation to the user's weight and anti-shock backrest release system. This mechanism dynamically follows all the natural movements of the user's body; seat and backrest tilt together, relieving tension on the dorsal muscles. The movement tension is adjustable, adapting to the user's body shape and preferences. The correct seat/back tilt angle ensures proper blood flow while reducing the feeling of heaviness in the lower limbs. A soft release system allows the user to control the movement of the backrest when released.




device

synchronised lockable in 3 positions with seat depth adjustment (60 mm), with adjustment of the backrest resistance in relation to the user's weight. Anti-shock backrest release system. This mechanism dynamically follows all the natural movements of the user's body; seat and backrest tilt together, relieving tension on the dorsal muscles. The movement tension is adjustable, adapting to the user's body shape and preferences. The correct seat/back tilt angle ensures proper blood flow while reducing the feeling of heaviness in the lower limbs. A soft release system allows the user to control the movement of the backrest when released. The seat depth adjustment provides adequate support for people of different heights and build. The seat can slide forward and backward to change the thigh support base as desired, providing a dynamic alignment of the position of the legs.




device

synchronised self-calibrating with 3-position adjustment (oscillation angles: position 0: backrest 0.4° seat 1.5°; position 1: backrest 7.9° seat 0.76°; position 2: backrest 16.9° seat 3.3°) and anti-shock release system. This mechanism allows the backrest to adapt automatically to the user's weight without requiring any operation. The backrest tilt resistance is directly proportional to the weight exerted on the seat.



device

synchronised self-calibrating with 3-position adjustment with seat depth adjustment (70 mm). Oscillation angles: position 0: backrest 0.4° seat 1.5°; position 1: backrest 7.9° seat 0.76°; position 2: backrest 16.9° seat 3.3°) and anti-shock release system. This mechanism allows the backrest to adapt automatically to the user's weight without requiring any operation. The backrest tilt resistance is directly proportional to the weight exerted on the seat. The seat depth adjustment provides adequate support for people of different heights and build. The seat can slide forward and backward to change the thigh support base as desired, providing a dynamic alignment of the position of the legs.



height adjustment


by gas lift. Allows an excursion of 13 cm.

base

5-star base in black nylon or die-cast aluminium. Self-locking dual-tread rubbered swivel castors, Ø 50 mm

ergonomics

Takk is equipped with the necessary mechanisms for correct and comfortable use, even for prolonged periods, provided that the following conditions are met: the standard sitting position requires the maintenance of angles of 90° between the torso and thigh, between the thigh and leg and between the leg and foot. These last two angles are essential so that the foot, resting completely on the underlying surface, can unload part of the weight of the lower limb onto it, avoiding excessive compression on the posterior surface of the thigh and favouring the return of the blood circulating in the leg veins towards the heart.



base finishes

Polished aluminium Black nylon

mesh

Cat. E
Polo
RPRO RPBI RPG1 RPGR RPPE RPZO

Cat. N
Spin
S1V1 S1B8 S1R0 S1V0 S1G4 S1G0 S1G2
S1NE

Cat. V
Volley FR
R6NE

fabrics

Cat. B
Bondai
TBB2 TBB1 TBB6 TBB4 TBV2 TBR2 TBR1
TBMN TBR3 TBR0 TBV1 TBV4 TBV0 TBB0
TBM1 TBBE TBGC TBAV TBG0 TBZ0

Cat. H
Madrid 3D
T3M0 T3V0 T3V2 T3B2 T3V4 T3M3 T3B3

Boss FR (eco-leather)



Cat. D


King Flex



Time



Skill (eco-leather)




Cat. F

Step




Chili



Stromboli



Silvertex




Valencia




Jet



Magnum (eco-leather)



Connect




Rivet




Era



Go Check



Rondo



Cat. G

Focus



Focus Melange





ABACUS

Synchronised lockable in 3 positions

Synchronised lockable in 3 positions + seat depth adjustment



Without armrests.

Without armrests.





Fixed armrests.

Fixed armrests.





1D adjustable armrests.

1D adjustable armrests.




2D adjustable armrests.


2D adjustable armrests.



2D adjustable armrests + headrest.




2D adjustable armrests + headrest.




Synchronised self-calibrating with 3-position adjustment

Without armrests.




Synchronised self-calibrating with 3-position adjustment + seat depth adjustment


Without armrests.




Fixed armrests.




Fixed armrests.




1D adjustable armrests.




1D adjustable armrests.




2D adjustable armrests.



2D adjustable armrests.



2D adjustable armrests + headrest.



2D adjustable armrests + headrest.

